Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|-------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 13-19 | Count | 1 | 1 | 2 |
| Diagnosis | | % within Sex | 2.3% | 5.6% | 3.3% |
| | 20-24 | Count | 6 | 3 | 9 |
| | | % within Sex | 14.0% | 16.7% | 14.8% |
| | 25-29 | Count | 2 | 3 | 5 |
| | | % within Sex | 4.7% | 16.7% | 8.2% |
| | 30-34 | Count | 5 | 2 | 7 |
| | | % within Sex | 11.6% | 11.1% | 11.5% |
| | 35-39 | Count | 10 | 3 | 13 |
| | | % within Sex | 23.3% | 16.7% | 21.3% |
| | 40-44 | Count | 9 | 1 | 10 |
| | | % within Sex | 20.9% | 5.6% | 16.4% |
| | 45-49 | Count | 7 | 3 | 10 |
| | | % within Sex | 16.3% | 16.7% | 16.4% |
| | 50-54 | Count | 2 | 1 | 3 |
| | | % within Sex | 4.7% | 5.6% | 4.9% |
| | 60-64 | Count | 1 | 0 | 1 |
| | | % within Sex | 2.3% | .0% | 1.6% |
| | 65-69 | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | 5.6% | 1.6% |
| Total | • | Count | 43 | 18 | 61 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

| | | | Sex | | |
|----------------|--------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 18 | 1 | 19 |
| | | % within Sex | 41.9% | 5.6% | 31.1% |
| | African American | Count | 23 | 17 | 40 |
| | | % within Sex | 53.5% | 94.4% | 65.6% |
| | Hispanic | Count | 2 | 0 | 2 |
| | | % within Sex | 4.7% | .0% | 3.3% |
| Total | | Count | 43 | 18 | 61 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 20 | 0 | 20 |
| Exposure | | % within Sex | 46.5% | .0% | 32.8% |
| | IDU | Count | 2 | 1 | 3 |
| | | % within Sex | 4.7% | 5.6% | 4.9% |
| | Heterosexual Contact | Count | 5 | 7 | 12 |
| | | % within Sex | 11.6% | 38.9% | 19.7% |
| | Not Classified | Count | 16 | 10 | 26 |
| | | % within Sex | 37.2% | 55.6% | 42.6% |
| Total | | Count | 43 | 18 | 61 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

| | | | Adult-Ped | |
|----------------|--------------------|--------------------|------------|--------|
| | | | Adult/ | |
| | | | Adolescent | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 19 | 19 |
| | | % within Adult-Ped | 31.1% | 31.1% |
| | African American | Count | 40 | 40 |
| | | % within Adult-Ped | 65.6% | 65.6% |
| | Hispanic | Count | 2 | 2 |
| | | % within Adult-Ped | 3.3% | 3.3% |
| Total | | Count | 61 | 61 |
| | | % within Adult-Ped | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|-------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 13-19 | Count | 2 | 2 | 4 |
| Diagnosis | | % within Sex | 8.7% | 14.3% | 10.8% |
| | 20-24 | Count | 5 | 2 | 7 |
| | | % within Sex | 21.7% | 14.3% | 18.9% |
| | 25-29 | Count | 2 | 1 | 3 |
| | | % within Sex | 8.7% | 7.1% | 8.1% |
| | 30-34 | Count | 3 | 1 | 4 |
| | | % within Sex | 13.0% | 7.1% | 10.8% |
| | 35-39 | Count | 6 | 2 | 8 |
| | | % within Sex | 26.1% | 14.3% | 21.6% |
| | 40-44 | Count | 1 | 5 | 6 |
| | | % within Sex | 4.3% | 35.7% | 16.2% |
| | 45-49 | Count | 1 | 0 | 1 |
| | | % within Sex | 4.3% | .0% | 2.7% |
| | 50-54 | Count | 1 | 1 | 2 |
| | | % within Sex | 4.3% | 7.1% | 5.4% |
| | 55-59 | Count | 1 | 0 | 1 |
| | | % within Sex | 4.3% | .0% | 2.7% |
| | 60-64 | Count | 1 | 0 | 1 |
| | | % within Sex | 4.3% | .0% | 2.7% |
| Total | | Count | 23 | 14 | 37 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 7 | 7 | 14 |
| | | % within Sex | 30.4% | 50.0% | 37.8% |
| | African American | Count | 14 | 7 | 21 |
| | | % within Sex | 60.9% | 50.0% | 56.8% |
| | Hispanic | Count | 1 | 0 | 1 |
| | | % within Sex | 4.3% | .0% | 2.7% |
| | Asian-Pacific Islander | Count | 1 | 0 | 1 |
| | | % within Sex | 4.3% | .0% | 2.7% |
| Total | | Count | 23 | 14 | 37 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 11 | 0 | 11 |
| Exposure | | % within Sex | 47.8% | .0% | 29.7% |
| | IDU | Count | 1 | 1 | 2 |
| | | % within Sex | 4.3% | 7.1% | 5.4% |
| | Heterosexual Contact | Count | 7 | 8 | 15 |
| | | % within Sex | 30.4% | 57.1% | 40.5% |
| | Not Classified | Count | 4 | 5 | 9 |
| | | % within Sex | 17.4% | 35.7% | 24.3% |
| Total | | Count | 23 | 14 | 37 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

| | | | Adult-Ped | |
|----------------|------------------------|--------------------|------------|--------|
| | | | Adult/ | |
| | | | Adolescent | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 14 | 14 |
| | | % within Adult-Ped | 37.8% | 37.8% |
| | African American | Count | 21 | 21 |
| | | % within Adult-Ped | 56.8% | 56.8% |
| | Hispanic | Count | 1 | 1 |
| | | % within Adult-Ped | 2.7% | 2.7% |
| | Asian-Pacific Islander | Count | 1 | 1 |
| | | % within Adult-Ped | 2.7% | 2.7% |
| Total | | Count | 37 | 37 |
| | | % within Adult-Ped | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | Sex | |
|-----------|-------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 0 (0-11 mo) | Count | 2 | 2 | 4 |
| Diagnosis | | % within Sex | 1.2% | 1.9% | 1.5% |
| | 2-4 | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | 1.0% | .4% |
| | 13-19 | Count | 4 | 14 | 18 |
| | | % within Sex | 2.4% | 13.6% | 6.7% |
| | 20-24 | Count | 29 | 20 | 49 |
| | | % within Sex | 17.4% | 19.4% | 18.1% |
| | 25-29 | Count | 20 | 15 | 35 |
| | | % within Sex | 12.0% | 14.6% | 13.0% |
| | 30-34 | Count | 20 | 18 | 38 |
| | | % within Sex | 12.0% | 17.5% | 14.1% |
| | 35-39 | Count | 41 | 12 | 53 |
| | | % within Sex | 24.6% | 11.7% | 19.6% |
| | 40-44 | Count | 21 | 12 | 33 |
| | | % within Sex | 12.6% | 11.7% | 12.2% |
| | 45-49 | Count | 14 | 3 | 17 |
| | | % within Sex | 8.4% | 2.9% | 6.3% |
| | 50-54 | Count | 9 | 3 | 12 |
| | | % within Sex | 5.4% | 2.9% | 4.4% |
| | 55-59 | Count | 3 | 1 | 4 |
| | | % within Sex | 1.8% | 1.0% | 1.5% |
| | 60-64 | Count | 2 | 1 | 3 |
| | | % within Sex | 1.2% | 1.0% | 1.1% |
| | 65-69 | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | 1.0% | .4% |
| | 70+ | Count | 1 | 0 | 1 |
| | | % within Sex | .6% | .0% | .4% |
| | Unknown | Count | 1 | 0 | 1 |
| | | % within Sex | .6% | .0% | .4% |
| Total | | Count | 167 | 103 | 270 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 63 | 20 | 83 |
| | | % within Sex | 37.7% | 19.4% | 30.7% |
| | African American | Count | 88 | 77 | 165 |
| | | % within Sex | 52.7% | 74.8% | 61.1% |
| | Hispanic | Count | 9 | 4 | 13 |
| | | % within Sex | 5.4% | 3.9% | 4.8% |
| | Asian-Pacific Islander | Count | 1 | 0 | 1 |
| | | % within Sex | .6% | .0% | .4% |
| | Not Specified | Count | 6 | 2 | 8 |
| | | % within Sex | 3.6% | 1.9% | 3.0% |
| Total | | Count | 167 | 103 | 270 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Mode of Exposure * Sex Crosstabulation^a

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 74 | 0 | 74 |
| Exposure | | % within Sex | 44.3% | .0% | 27.4% |
| | IDU | Count | 12 | 8 | 20 |
| | | % within Sex | 7.2% | 7.8% | 7.4% |
| | M-M & IDU | Count | 10 | 0 | 10 |
| | | % within Sex | 6.0% | .0% | 3.7% |
| | Heterosexual Contact | Count | 23 | 48 | 71 |
| | | % within Sex | 13.8% | 46.6% | 26.3% |
| | Not Classified | Count | 46 | 44 | 90 |
| | | % within Sex | 27.5% | 42.7% | 33.3% |
| | Ped Parent at Risk | Count | 2 | 3 | 5 |
| | | % within Sex | 1.2% | 2.9% | 1.9% |
| Total | | Count | 167 | 103 | 270 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

| | | | | Adult-Ped | | |
|----------------|------------------------|--------------------|-----------|------------|---------|--------|
| | | | | Adult/ | | |
| | | | Pediatric | Adolescent | Unknown | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 0 | 82 | 1 | 83 |
| | | % within Adult-Ped | .0% | 31.1% | 100.0% | 30.7% |
| | African American | Count | 3 | 162 | 0 | 165 |
| | | % within Adult-Ped | 60.0% | 61.4% | .0% | 61.1% |
| | Hispanic | Count | 2 | 11 | 0 | 13 |
| | | % within Adult-Ped | 40.0% | 4.2% | .0% | 4.8% |
| | Asian-Pacific Islander | Count | 0 | 1 | 0 | 1 |
| | | % within Adult-Ped | .0% | .4% | .0% | .4% |
| | Not Specified | Count | 0 | 8 | 0 | 8 |
| | | % within Adult-Ped | .0% | 3.0% | .0% | 3.0% |
| Total | | Count | 5 | 264 | 1 | 270 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|-------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 0 (0-11 mo) | Count | 2 | 2 | 4 |
| Diagnosis | | % within Sex | 1.2% | 2.0% | 1.5% |
| | 2-4 | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | 1.0% | .4% |
| | 13-19 | Count | 4 | 14 | 18 |
| | | % within Sex | 2.5% | 13.9% | 6.8% |
| | 20-24 | Count | 28 | 20 | 48 |
| | | % within Sex | 17.2% | 19.8% | 18.2% |
| | 25-29 | Count | 19 | 15 | 34 |
| | | % within Sex | 11.7% | 14.9% | 12.9% |
| | 30-34 | Count | 20 | 18 | 38 |
| | | % within Sex | 12.3% | 17.8% | 14.4% |
| | 35-39 | Count | 41 | 12 | 53 |
| | | % within Sex | 25.2% | 11.9% | 20.1% |
| | 40-44 | Count | 20 | 11 | 31 |
| | | % within Sex | 12.3% | 10.9% | 11.7% |
| | 45-49 | Count | 13 | 3 | 16 |
| | | % within Sex | 8.0% | 3.0% | 6.1% |
| | 50-54 | Count | 9 | 3 | 12 |
| | | % within Sex | 5.5% | 3.0% | 4.5% |
| | 55-59 | Count | 3 | 0 | 3 |
| | | % within Sex | 1.8% | .0% | 1.1% |
| | 60-64 | Count | 2 | 1 | 3 |
| | | % within Sex | 1.2% | 1.0% | 1.1% |
| | 65-69 | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | 1.0% | .4% |
| | 70+ | Count | 1 | 0 | 1 |
| | | % within Sex | .6% | .0% | .4% |
| | Unknown | Count | 1 | 0 | 1 |
| | | % within Sex | .6% | .0% | .4% |
| Total | | Count | 163 | 101 | 264 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

| | | | Se | ex | |
|---------|-------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Current | 5-12 | Count | 2 | 3 | 5 |
| Age | | % within Sex | 1.2% | 3.0% | 1.9% |
| | 13-19 | Count | 2 | 3 | 5 |
| | | % within Sex | 1.2% | 3.0% | 1.9% |
| | 20-24 | Count | 10 | 13 | 23 |
| | | % within Sex | 6.1% | 12.9% | 8.7% |
| | 25-29 | Count | 16 | 21 | 37 |
| | | % within Sex | 9.8% | 20.8% | 14.0% |
| | 30-34 | Count | 16 | 12 | 28 |
| | | % within Sex | 9.8% | 11.9% | 10.6% |
| | 35-39 | Count | 36 | 21 | 57 |
| | | % within Sex | 22.1% | 20.8% | 21.6% |
| | 40-44 | Count | 32 | 12 | 44 |
| | | % within Sex | 19.6% | 11.9% | 16.7% |
| | 45-49 | Count | 28 | 10 | 38 |
| | | % within Sex | 17.2% | 9.9% | 14.4% |
| | 50-54 | Count | 10 | 1 | 11 |
| | | % within Sex | 6.1% | 1.0% | 4.2% |
| | 55-59 | Count | 5 | 2 | 7 |
| | | % within Sex | 3.1% | 2.0% | 2.7% |
| | 60-64 | Count | 5 | 1 | 6 |
| | | % within Sex | 3.1% | 1.0% | 2.3% |
| | 65-69 | Count | 0 | 2 | 2 |
| | | % within Sex | .0% | 2.0% | .8% |
| | 70+ | Count | 1 | 0 | 1 |
| | | % within Sex | .6% | .0% | .4% |
| Total | | Count | 163 | 101 | 264 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

| | | | Sex | | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 59 | 20 | 79 |
| | | % within Sex | 36.2% | 19.8% | 29.9% |
| | African American | Count | 88 | 75 | 163 |
| | | % within Sex | 54.0% | 74.3% | 61.7% |
| | Hispanic | Count | 9 | 4 | 13 |
| | | % within Sex | 5.5% | 4.0% | 4.9% |
| | Asian-Pacific Islander | Count | 1 | 0 | 1 |
| | | % within Sex | .6% | .0% | .4% |
| | Not Specified | Count | 6 | 2 | 8 |
| | | % within Sex | 3.7% | 2.0% | 3.0% |
| Total | | Count | 163 | 101 | 264 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 73 | 0 | 73 |
| Exposure | | % within Sex | 44.8% | .0% | 27.7% |
| | IDU | Count | 12 | 8 | 20 |
| | | % within Sex | 7.4% | 7.9% | 7.6% |
| | M-M & IDU | Count | 7 | 0 | 7 |
| | | % within Sex | 4.3% | .0% | 2.7% |
| | Heterosexual Contact | Count | 23 | 47 | 70 |
| | | % within Sex | 14.1% | 46.5% | 26.5% |
| | Not Classified | Count | 46 | 43 | 89 |
| | | % within Sex | 28.2% | 42.6% | 33.7% |
| | Ped Parent at Risk | Count | 2 | 3 | 5 |
| | | % within Sex | 1.2% | 3.0% | 1.9% |
| Total | <u> </u> | Count | 163 | 101 | 264 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

| | | | | Adult-Ped | | |
|----------------|------------------------|--------------------|-----------|----------------------|---------|--------|
| | | | Pediatric | Adult/ Adolescent | Unknown | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 0 | 78 | 1 | 79 |
| | | % within Adult-Ped | .0% | 30.2% | 100.0% | 29.9% |
| | African American | Count | 3 | 160 | 0 | 163 |
| | | % within Adult-Ped | 60.0% | 62.0% | .0% | 61.7% |
| | Hispanic | Count | 2 | 11 | 0 | 13 |
| | | % within Adult-Ped | 40.0% | 4.3% | .0% | 4.9% |
| | Asian-Pacific Islander | Count | 0 | 1 | 0 | 1 |
| | | % within Adult-Ped | .0% | .4% | .0% | .4% |
| | Not Specified | Count | 0 | 8 | 0 | 8 |
| | | % within Adult-Ped | .0% | 3.1% | .0% | 3.0% |
| Total | | Count | 5 | 258 | 1 | 264 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|-------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 20-24 | Count | 0 | 1 | 1 |
| Diagnosis | | % within Sex | .0% | 11.1% | 3.2% |
| | 25-29 | Count | 3 | 0 | 3 |
| | | % within Sex | 13.6% | .0% | 9.7% |
| | 30-34 | Count | 1 | 1 | 2 |
| | | % within Sex | 4.5% | 11.1% | 6.5% |
| | 35-39 | Count | 5 | 2 | 7 |
| | | % within Sex | 22.7% | 22.2% | 22.6% |
| | 40-44 | Count | 3 | 2 | 5 |
| | | % within Sex | 13.6% | 22.2% | 16.1% |
| | 45-49 | Count | 4 | 2 | 6 |
| | | % within Sex | 18.2% | 22.2% | 19.4% |
| | 50-54 | Count | 3 | 1 | 4 |
| | | % within Sex | 13.6% | 11.1% | 12.9% |
| | 55-59 | Count | 1 | 0 | 1 |
| | | % within Sex | 4.5% | .0% | 3.2% |
| | 60-64 | Count | 1 | 0 | 1 |
| | | % within Sex | 4.5% | .0% | 3.2% |
| | 70+ | Count | 1 | 0 | 1 |
| | | % within Sex | 4.5% | .0% | 3.2% |
| Total | | Count | 22 | 9 | 31 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

| | | | Sex | | |
|----------------|--------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 5 | 1 | 6 |
| | | % within Sex | 22.7% | 11.1% | 19.4% |
| | African American | Count | 15 | 8 | 23 |
| | | % within Sex | 68.2% | 88.9% | 74.2% |
| | Hispanic | Count | 2 | 0 | 2 |
| | | % within Sex | 9.1% | .0% | 6.5% |
| Total | | Count | 22 | 9 | 31 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

AIDS Cases Reported during 2003 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 8 | 0 | 8 |
| Exposure | | % within Sex | 36.4% | .0% | 25.8% |
| | IDU | Count | 3 | 2 | 5 |
| | | % within Sex | 13.6% | 22.2% | 16.1% |
| | Heterosexual Contact | Count | 2 | 3 | 5 |
| | | % within Sex | 9.1% | 33.3% | 16.1% |
| | Transfusion | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | 11.1% | 3.2% |
| | Not Classified | Count | 9 | 3 | 12 |
| | | % within Sex | 40.9% | 33.3% | 38.7% |
| Total | | Count | 22 | 9 | 31 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

| | | | Adult-Ped | |
|----------------|---------------------|--------------------|----------------------|---------|
| | | | Adult/ Adolescent | Total |
| Race-Ethnicity | White Non-Hispanic | Count | Adolescent 6 | 10tai 6 |
| Nace-Elimicity | writte Mon-Hispanic | | O | O |
| | | % within Adult-Ped | 19.4% | 19.4% |
| | African American | Count | 23 | 23 |
| | | % within Adult-Ped | 74.2% | 74.2% |
| | Hispanic | Count | 2 | 2 |
| | | % within Adult-Ped | 6.5% | 6.5% |
| Total | | Count | 31 | 31 |
| | | % within Adult-Ped | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|-------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 20-24 | Count | 0 | 4 | 4 |
| Diagnosis | | % within Sex | .0% | 22.2% | 9.1% |
| | 25-29 | Count | 0 | 3 | 3 |
| | | % within Sex | .0% | 16.7% | 6.8% |
| | 30-34 | Count | 6 | 0 | 6 |
| | | % within Sex | 23.1% | .0% | 13.6% |
| | 35-39 | Count | 8 | 3 | 11 |
| | | % within Sex | 30.8% | 16.7% | 25.0% |
| | 40-44 | Count | 8 | 5 | 13 |
| | | % within Sex | 30.8% | 27.8% | 29.5% |
| | 45-49 | Count | 2 | 3 | 5 |
| | | % within Sex | 7.7% | 16.7% | 11.4% |
| | 55-59 | Count | 2 | 0 | 2 |
| | | % within Sex | 7.7% | .0% | 4.5% |
| Total | | Count | 26 | 18 | 44 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

| | | | Sex | | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 9 | 3 | 12 |
| | | % within Sex | 34.6% | 16.7% | 27.3% |
| | African American | Count | 15 | 15 | 30 |
| | | % within Sex | 57.7% | 83.3% | 68.2% |
| | Hispanic | Count | 1 | 0 | 1 |
| | | % within Sex | 3.8% | .0% | 2.3% |
| | Asian-Pacific Islander | Count | 1 | 0 | 1 |
| | | % within Sex | 3.8% | .0% | 2.3% |
| Total | | Count | 26 | 18 | 44 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 8 | 0 | 8 |
| Exposure | | % within Sex | 30.8% | .0% | 18.2% |
| | IDU | Count | 2 | 1 | 3 |
| | | % within Sex | 7.7% | 5.6% | 6.8% |
| | M-M & IDU | Count | 6 | 0 | 6 |
| | | % within Sex | 23.1% | .0% | 13.6% |
| | Heterosexual Contact | Count | 2 | 9 | 11 |
| | | % within Sex | 7.7% | 50.0% | 25.0% |
| | Not Classified | Count | 8 | 6 | 14 |
| | | % within Sex | 30.8% | 33.3% | 31.8% |
| | Ped Other-Undet | Count | 0 | 2 | 2 |
| | | % within Sex | .0% | 11.1% | 4.5% |
| Total | <u> </u> | Count | 26 | 18 | 44 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

| | | | Adult-Ped | |
|----------------|------------------------|--------------------|------------|----------|
| | | | Adult/ | . |
| | | | Adolescent | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 12 | 12 |
| | | % within Adult-Ped | 27.3% | 27.3% |
| | African American | Count | 30 | 30 |
| | | % within Adult-Ped | 68.2% | 68.2% |
| | Hispanic | Count | 1 | 1 |
| | | % within Adult-Ped | 2.3% | 2.3% |
| | Asian-Pacific Islander | Count | 1 | 1 |
| | | % within Adult-Ped | 2.3% | 2.3% |
| Total | _ | Count | 44 | 44 |
| | | % within Adult-Ped | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|-------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 0 (0-11 mo) | Count | 0 | 1 | 1 |
| Diagnosis | | % within Sex | .0% | .6% | .1% |
| | 2-4 | Count | 1 | 3 | 4 |
| | | % within Sex | .2% | 1.8% | .5% |
| | 5-12 | Count | 3 | 0 | 3 |
| | | % within Sex | .5% | .0% | .4% |
| | 13-19 | Count | 5 | 8 | 13 |
| | | % within Sex | .8% | 4.7% | 1.6% |
| | 20-24 | Count | 35 | 20 | 55 |
| | | % within Sex | 5.4% | 11.8% | 6.7% |
| | 25-29 | Count | 109 | 36 | 145 |
| | | % within Sex | 16.8% | 21.3% | 17.8% |
| | 30-34 | Count | 158 | 21 | 179 |
| | | % within Sex | 24.4% | 12.4% | 21.9% |
| | 35-39 | Count | 130 | 30 | 160 |
| | | % within Sex | 20.1% | 17.8% | 19.6% |
| | 40-44 | Count | 105 | 23 | 128 |
| | | % within Sex | 16.2% | 13.6% | 15.7% |
| | 45-49 | Count | 42 | 13 | 55 |
| | | % within Sex | 6.5% | 7.7% | 6.7% |
| | 50-54 | Count | 33 | 7 | 40 |
| | | % within Sex | 5.1% | 4.1% | 4.9% |
| | 55-59 | Count | 14 | 3 | 17 |
| | | % within Sex | 2.2% | 1.8% | 2.1% |
| | 60-64 | Count | 8 | 1 | 9 |
| | | % within Sex | 1.2% | .6% | 1.1% |
| | 65-69 | Count | 2 | 1 | 3 |
| | | % within Sex | .3% | .6% | .4% |
| | 70+ | Count | 2 | 2 | 4 |
| | | % within Sex | .3% | 1.2% | .5% |
| Total | | Count | 647 | 169 | 816 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 333 | 53 | 386 |
| | | % within Sex | 51.5% | 31.4% | 47.3% |
| | African American | Count | 263 | 111 | 374 |
| | | % within Sex | 40.6% | 65.7% | 45.8% |
| | Hispanic | Count | 46 | 4 | 50 |
| | | % within Sex | 7.1% | 2.4% | 6.1% |
| | Asian-Pacific Islander | Count | 4 | 1 | 5 |
| | | % within Sex | .6% | .6% | .6% |
| | Not Specified | Count | 1 | 0 | 1 |
| | | % within Sex | .2% | .0% | .1% |
| Total | | Count | 647 | 169 | 816 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Mode of Exposure * Sex Crosstabulation^a

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 357 | 0 | 357 |
| Exposure | | % within Sex | 55.2% | .0% | 43.8% |
| | IDU | Count | 73 | 43 | 116 |
| | | % within Sex | 11.3% | 25.4% | 14.2% |
| | M-M & IDU | Count | 94 | 0 | 94 |
| | | % within Sex | 14.5% | .0% | 11.5% |
| | Hemophiliac | Count | 6 | 0 | 6 |
| | | % within Sex | .9% | .0% | .7% |
| | Heterosexual Contact | Count | 24 | 66 | 90 |
| | | % within Sex | 3.7% | 39.1% | 11.0% |
| | Transfusion | Count | 15 | 12 | 27 |
| | | % within Sex | 2.3% | 7.1% | 3.3% |
| | Not Classified | Count | 73 | 40 | 113 |
| | | % within Sex | 11.3% | 23.7% | 13.8% |
| | Ped Hemophiliac | Count | 2 | 0 | 2 |
| | | % within Sex | .3% | .0% | .2% |
| | Ped Parent at Risk | Count | 2 | 5 | 7 |
| | | % within Sex | .3% | 3.0% | .9% |
| | Ped Transfusion | Count | 1 | 1 | 2 |
| | | % within Sex | .2% | .6% | .2% |
| | Ped Other-Undet | Count | 0 | 2 | 2 |
| | | % within Sex | .0% | 1.2% | .2% |
| Total | | Count | 647 | 169 | 816 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

| | | | Adı | Adult-Ped | |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/ Adolescent | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 5 | 381 | 386 |
| | | % within Adult-Ped | 62.5% | 47.2% | 47.3% |
| | African American | Count | 3 | 371 | 374 |
| | | % within Adult-Ped | 37.5% | 45.9% | 45.8% |
| | Hispanic | Count | 0 | 50 | 50 |
| | | % within Adult-Ped | .0% | 6.2% | 6.1% |
| | Asian-Pacific Islander | Count | 0 | 5 | 5 |
| | | % within Adult-Ped | .0% | .6% | .6% |
| | Not Specified | Count | 0 | 1 | 1 |
| | | % within Adult-Ped | .0% | .1% | .1% |
| Total | | Count | 8 | 808 | 816 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|-------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 2-4 | Count | 1 | 2 | 3 |
| Diagnosis | | % within Sex | .4% | 2.2% | .8% |
| | 5-12 | Count | 1 | 0 | 1 |
| | | % within Sex | .4% | .0% | .3% |
| | 13-19 | Count | 3 | 5 | 8 |
| | | % within Sex | 1.1% | 5.4% | 2.3% |
| | 20-24 | Count | 13 | 9 | 22 |
| | | % within Sex | 4.9% | 9.8% | 6.2% |
| | 25-29 | Count | 34 | 18 | 52 |
| | | % within Sex | 12.9% | 19.6% | 14.6% |
| | 30-34 | Count | 64 | 13 | 77 |
| | | % within Sex | 24.3% | 14.1% | 21.7% |
| | 35-39 | Count | 59 | 16 | 75 |
| | | % within Sex | 22.4% | 17.4% | 21.1% |
| | 40-44 | Count | 56 | 13 | 69 |
| | | % within Sex | 21.3% | 14.1% | 19.4% |
| | 45-49 | Count | 19 | 10 | 29 |
| | | % within Sex | 7.2% | 10.9% | 8.2% |
| | 50-54 | Count | 7 | 4 | 11 |
| | | % within Sex | 2.7% | 4.3% | 3.1% |
| | 55-59 | Count | 2 | 2 | 4 |
| | | % within Sex | .8% | 2.2% | 1.1% |
| | 60-64 | Count | 1 | 0 | 1 |
| | | % within Sex | .4% | .0% | .3% |
| | 65-69 | Count | 1 | 0 | 1 |
| | | % within Sex | .4% | .0% | .3% |
| | 70+ | Count | 2 | 0 | 2 |
| | | % within Sex | .8% | .0% | .6% |
| Total | | Count | 263 | 92 | 355 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

| | | | Se | ex | |
|---------|-------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Current | 13-19 | Count | 1 | 3 | 4 |
| Age | | % within Sex | .4% | 3.3% | 1.1% |
| | 20-24 | Count | 2 | 1 | 3 |
| | | % within Sex | .8% | 1.1% | .8% |
| | 25-29 | Count | 7 | 9 | 16 |
| | | % within Sex | 2.7% | 9.8% | 4.5% |
| | 30-34 | Count | 17 | 10 | 27 |
| | | % within Sex | 6.5% | 10.9% | 7.6% |
| | 35-39 | Count | 53 | 16 | 69 |
| | | % within Sex | 20.2% | 17.4% | 19.4% |
| | 40-44 | Count | 74 | 21 | 95 |
| | | % within Sex | 28.1% | 22.8% | 26.8% |
| | 45-49 | Count | 57 | 19 | 76 |
| | | % within Sex | 21.7% | 20.7% | 21.4% |
| | 50-54 | Count | 34 | 7 | 41 |
| | | % within Sex | 12.9% | 7.6% | 11.5% |
| | 55-59 | Count | 11 | 4 | 15 |
| | | % within Sex | 4.2% | 4.3% | 4.2% |
| | 60-64 | Count | 3 | 0 | 3 |
| | | % within Sex | 1.1% | .0% | .8% |
| | 65-69 | Count | 1 | 2 | 3 |
| | | % within Sex | .4% | 2.2% | .8% |
| | 70+ | Count | 3 | 0 | 3 |
| | | % within Sex | 1.1% | .0% | .8% |
| Total | | Count | 263 | 92 | 355 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Race-Ethnicity * Sex Crosstabulation^a

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 115 | 27 | 142 |
| | | % within Sex | 43.7% | 29.3% | 40.0% |
| | African American | Count | 124 | 62 | 186 |
| | | % within Sex | 47.1% | 67.4% | 52.4% |
| | Hispanic | Count | 19 | 2 | 21 |
| | | % within Sex | 7.2% | 2.2% | 5.9% |
| | Asian-Pacific Islander | Count | 4 | 1 | 5 |
| | | % within Sex | 1.5% | 1.1% | 1.4% |
| | Not Specified | Count | 1 | 0 | 1 |
| | | % within Sex | .4% | .0% | .3% |
| Total | | Count | 263 | 92 | 355 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 142 | 0 | 142 |
| Exposure | | % within Sex | 54.0% | .0% | 40.0% |
| | IDU | Count | 31 | 24 | 55 |
| | | % within Sex | 11.8% | 26.1% | 15.5% |
| | M-M & IDU | Count | 32 | 0 | 32 |
| | | % within Sex | 12.2% | .0% | 9.0% |
| | Heterosexual Contact | Count | 11 | 37 | 48 |
| | | % within Sex | 4.2% | 40.2% | 13.5% |
| | Transfusion | Count | 5 | 2 | 7 |
| | | % within Sex | 1.9% | 2.2% | 2.0% |
| | Not Classified | Count | 39 | 24 | 63 |
| | | % within Sex | 14.8% | 26.1% | 17.7% |
| | Ped Hemophiliac | Count | 2 | 0 | 2 |
| | | % within Sex | .8% | .0% | .6% |
| | Ped Parent at Risk | Count | 1 | 3 | 4 |
| | | % within Sex | .4% | 3.3% | 1.1% |
| | Ped Other-Undet | Count | 0 | 2 | 2 |
| | | % within Sex | .0% | 2.2% | .6% |
| Total | _ | Count | 263 | 92 | 355 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

| | | | Adı | Adult-Ped | | |
|----------------|------------------------|--------------------|-----------|------------|--------|--|
| | | | | Adult/ | | |
| | | | Pediatric | Adolescent | Total | |
| Race-Ethnicity | White Non-Hispanic | Count | 1 | 141 | 142 | |
| | | % within Adult-Ped | 25.0% | 40.2% | 40.0% | |
| | African American | Count | 3 | 183 | 186 | |
| | | % within Adult-Ped | 75.0% | 52.1% | 52.4% | |
| | Hispanic | Count | 0 | 21 | 21 | |
| | | % within Adult-Ped | .0% | 6.0% | 5.9% | |
| | Asian-Pacific Islander | Count | 0 | 5 | 5 | |
| | | % within Adult-Ped | .0% | 1.4% | 1.4% | |
| | Not Specified | Count | 0 | 1 | 1 | |
| | | % within Adult-Ped | .0% | .3% | .3% | |
| Total | _ | Count | 4 | 351 | 355 | |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | |

a. HSDA = Beaumont-Port Arthur

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | Sex | |
|-----------|-------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 0 (0-11 mo) | Count | 2 | 2 | 4 |
| Diagnosis | | % within Sex | .5% | 1.0% | .6% |
| | 2-4 | Count | 1 | 3 | 4 |
| | | % within Sex | .2% | 1.6% | .6% |
| | 5-12 | Count | 1 | 0 | 1 |
| | | % within Sex | .2% | .0% | .2% |
| | 13-19 | Count | 7 | 19 | 26 |
| | | % within Sex | 1.6% | 9.8% | 4.2% |
| | 20-24 | Count | 41 | 29 | 70 |
| | | % within Sex | 9.6% | 15.0% | 11.3% |
| | 25-29 | Count | 53 | 33 | 86 |
| | | % within Sex | 12.4% | 17.1% | 13.9% |
| | 30-34 | Count | 84 | 31 | 115 |
| | | % within Sex | 19.7% | 16.1% | 18.6% |
| | 35-39 | Count | 100 | 28 | 128 |
| | | % within Sex | 23.5% | 14.5% | 20.7% |
| | 40-44 | Count | 76 | 24 | 100 |
| | | % within Sex | 17.8% | 12.4% | 16.2% |
| | 45-49 | Count | 32 | 13 | 45 |
| | | % within Sex | 7.5% | 6.7% | 7.3% |
| | 50-54 | Count | 16 | 7 | 23 |
| | | % within Sex | 3.8% | 3.6% | 3.7% |
| | 55-59 | Count | 5 | 2 | 7 |
| | | % within Sex | 1.2% | 1.0% | 1.1% |
| | 60-64 | Count | 3 | 1 | 4 |
| | | % within Sex | .7% | .5% | .6% |
| | 65-69 | Count | 1 | 1 | 2 |
| | | % within Sex | .2% | .5% | .3% |
| | 70+ | Count | 3 | 0 | 3 |
| | | % within Sex | .7% | .0% | .5% |
| | Unknown | Count | 1 | 0 | 1 |
| | | % within Sex | .2% | .0% | .2% |
| Total | | Count | 426 | 193 | 619 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

| | | | Se | Sex | | |
|---------|-------|--------------|--------|--------|--------|--|
| | | | Male | Female | Total | |
| Current | 5-12 | Count | 2 | 3 | 5 | |
| Age | | % within Sex | .5% | 1.6% | .8% | |
| | 13-19 | Count | 3 | 6 | 9 | |
| | | % within Sex | .7% | 3.1% | 1.5% | |
| | 20-24 | Count | 12 | 14 | 26 | |
| | | % within Sex | 2.8% | 7.3% | 4.2% | |
| | 25-29 | Count | 23 | 30 | 53 | |
| | | % within Sex | 5.4% | 15.5% | 8.6% | |
| | 30-34 | Count | 33 | 22 | 55 | |
| | | % within Sex | 7.7% | 11.4% | 8.9% | |
| | 35-39 | Count | 89 | 37 | 126 | |
| | | % within Sex | 20.9% | 19.2% | 20.4% | |
| | 40-44 | Count | 106 | 33 | 139 | |
| | | % within Sex | 24.9% | 17.1% | 22.5% | |
| | 45-49 | Count | 85 | 29 | 114 | |
| | | % within Sex | 20.0% | 15.0% | 18.4% | |
| | 50-54 | Count | 44 | 8 | 52 | |
| | | % within Sex | 10.3% | 4.1% | 8.4% | |
| | 55-59 | Count | 16 | 6 | 22 | |
| | | % within Sex | 3.8% | 3.1% | 3.6% | |
| | 60-64 | Count | 8 | 1 | 9 | |
| | | % within Sex | 1.9% | .5% | 1.5% | |
| | 65-69 | Count | 1 | 4 | 5 | |
| | | % within Sex | .2% | 2.1% | .8% | |
| | 70+ | Count | 4 | 0 | 4 | |
| | | % within Sex | .9% | .0% | .6% | |
| Total | | Count | 426 | 193 | 619 | |
| | | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Beaumont-Port Arthur

| | | | Sex | | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 174 | 47 | 221 |
| | | % within Sex | 40.8% | 24.4% | 35.7% |
| | African American | Count | 212 | 137 | 349 |
| | | % within Sex | 49.8% | 71.0% | 56.4% |
| | Hispanic | Count | 28 | 6 | 34 |
| | | % within Sex | 6.6% | 3.1% | 5.5% |
| | Asian-Pacific Islander | Count | 5 | 1 | 6 |
| | | % within Sex | 1.2% | .5% | 1.0% |
| | Not Specified | Count | 7 | 2 | 9 |
| | | % within Sex | 1.6% | 1.0% | 1.5% |
| Total | | Count | 426 | 193 | 619 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of Exposure | Male-to-Male Sex | Count | 215 | 0 | 215 |
| | | % within Sex | 50.5% | .0% | 34.7% |
| | IDU | Count | 43 | 32 | 75 |
| | | % within Sex | 10.1% | 16.6% | 12.1% |
| | M-M & IDU | Count | 39 | 0 | 39 |
| | | % within Sex | 9.2% | .0% | 6.3% |
| | Heterosexual Contact | Count | 34 | 84 | 118 |
| | | % within Sex | 8.0% | 43.5% | 19.1% |
| | Transfusion | Count | 5 | 2 | 7 |
| | | % within Sex | 1.2% | 1.0% | 1.1% |
| | Not Classified | Count | 85 | 67 | 152 |
| | | % within Sex | 20.0% | 34.7% | 24.6% |
| | Ped Hemophiliac | Count | 2 | 0 | 2 |
| | | % within Sex | .5% | .0% | .3% |
| | Ped Parent at Risk | Count | 3 | 6 | 9 |
| | | % within Sex | .7% | 3.1% | 1.5% |
| | Ped Other-Undet | Count | 0 | 2 | 2 |
| | | % within Sex | .0% | 1.0% | .3% |
| Total | | Count | 426 | 193 | 619 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur

| | | | Adult-Ped | | | |
|----------------|------------------------|--------------------|-----------|----------------------|---------|--------|
| | | | Pediatric | Adult/ Adolescent | Unknown | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 1 | 219 | 1 | 221 |
| | | % within Adult-Ped | 11.1% | 36.0% | 100.0% | 35.7% |
| | African American | Count | 6 | 343 | 0 | 349 |
| | | % within Adult-Ped | 66.7% | 56.3% | .0% | 56.4% |
| | Hispanic | Count | 2 | 32 | 0 | 34 |
| | | % within Adult-Ped | 22.2% | 5.3% | .0% | 5.5% |
| | Asian-Pacific Islander | Count | 0 | 6 | 0 | 6 |
| | | % within Adult-Ped | .0% | 1.0% | .0% | 1.0% |
| | Not Specified | Count | 0 | 9 | 0 | 9 |
| | | % within Adult-Ped | .0% | 1.5% | .0% | 1.5% |
| Total | | Count | 9 | 609 | 1 | 619 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. HSDA = Beaumont-Port Arthur